

GCE

Physics B (Advancing Physics)

H157/01: Foundations of physics

Advanced Subsidiary GCE

2021 Mark Scheme (DRAFT)

This is a DRAFT mark scheme. It has not been used for marking as this paper did not receive any entries in the series it was scheduled for. It is therefore possible that not all valid approaches to a question may be captured in this version. You should give credit to such responses when marking learner's work.

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2021

1. Annotations

Annotation	Meaning
	Benefit of doubt given
	Contradiction
	Incorrect response
	Error carried forward
	Level 1
	Level 2
	Level 3
	Transcription error
	Benefit of doubt not given
	Power of 10 error
	Omission mark
	Error in number of significant figures
	Correct response
	Wrong physics or equation

2. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
reject	Answers which are not worthy of credit
not	Answers which are not worthy of credit
Ignore	Statements which are irrelevant
Allow	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Section A: MCQs

Question			Answer	Marks	Guidance
1			A	1	
2			D	1	
3			A	1	
4			B	1	
5			D	1	
6			D	1	
7			B	1	
8			C	1	
9			A	1	
10			C	1	
11			D	1	
12			D	1	
13			D	1	
14			B	1	
15			C	1	
16			B	1	
17			C	1	
18			A	1	
19			A	1	
20			B	1	
			Total	20	

SECTION B

Question		Expected Answer	Mark	Rationale/Additional Guidance
21	a	0.1 nm	1	ALLOW 0.05 to 0.2 REJECT anything with ≥ 2 sf
	b	0.0021 kg $\div 2.0 \times 10^{-26}$ to get $\sim 1.1 \times 10^{23}$ atoms	1 1	ALLOW conversion of 2.0×10^{26} kg to g
	c	Linear distance $\sqrt[3]{1.1 \times 10^{23}}$ ($\sim 4.5 \times 10^7$ atom lengths) 1 cm / linear distance = atom linear size (~ 0.2 nm)	1 1	Look for: cube root and 1/ operations
Total			5	

Question		Expected Answer	Mark	Rationale/Additional Guidance
22	a	coherence/coherent	1	
	b	$d = 1 / 250$ $= 4.0 \times 10^{-3}$ mm	1	correct answer only
	c	$650 \text{ nm} = 5 \times 10^{-6} \times \sin\theta$ $\sin\theta = 0.13$ $\theta = 0.13 \times 180 \div \pi$ or calculator to get 7.5°	1 1 1	
Total			5	

Question		Expected Answer	Mark	Rationale/Additional Guidance
23	a	$p = h \div \lambda$ $= 6.63 \times 10^{-34} \div 5.6 \times 10^{-7}$ $= 1.184 \times 10^{-27}$ $\sim 1.2 \times 10^{-27} \text{ Ns}$	1 1	
	b	-2p	1	ALLOW $-2.4 \times 10^{-27} \text{ Ns}$ ALLOW left / away from sail ALLOW positive value
	c	Momentum is conserved so sail must have opposite change in momentum / momentum change = +2p Force is change of momentum in unit/given time	1	ALLOW • sail applies force to photon (to reflect it) • so Newton 3 says force on sail
			1	
Total			5	

Question		Expected Answer	Mark	Rationale/Additional Guidance
24	a	Add lens power $= 1.6 \text{ m}^{-1}$	1 1	ALLOW correct use of lens formula
		b	Move it to the left / closer to the lens	
	c	Smaller brighter	1 1	
Total			5	
Total Section B			20	

SECTION C

Question		Expected Answer	Mark	Rationale/Additional Guidance									
25	a	Elastic / obey Hooke's law	1	State property ALLOW strong, tough, ductile REJECT malleable									
		(So that) returns to shape, won't break, won't crack	1	Explain									
	b	Reduce parallax error / read scale accurately	1										
	c	Data in table: <table border="1" data-bbox="385 603 1167 708"> <tbody> <tr> <td>100</td> <td>17.2</td> <td>2.8</td> </tr> <tr> <td>150</td> <td>15.8</td> <td>4.2</td> </tr> <tr> <td>200</td> <td>14.4</td> <td>5.6</td> </tr> </tbody> </table>	100	17.2	2.8	150	15.8	4.2	200	14.4	5.6	1	correct answer only
100	17.2	2.8											
150	15.8	4.2											
200	14.4	5.6											
	d	Any mass ÷ compression e.g. $0.1 \div 2.8 = 0.3571\dots$	1	ALLOW >2sf									
		Use of 9.81 e.g. $ = 0.3504 \dots$	1										
		Correct unit e.g. $0.35(04) \text{ N/cm}$ or 35 N/m	1										
	e	Less compression (for the same force)	1	ALLOW spring constant of the system increases when number of springs increases									
		Because load is spread between more springs	1										
		Total	9										

Question		Expected Answer	Mark	Rationale/Additional Guidance
26	a	66 cm	1	
	b	(22 fps =>) = $1.0 \div 22$ s per frame = 0.0454545 ... s (= 0.045s 2sf)	1 1	
	c	$s = d \div t$ = $12 \div 0.045$ = 264 cm.s^{-1}	1 1	ALLOW x 22 fps ALLOW 2.64 m s^{-1} ALLOW $220 + 44 \text{ cm s}^{-1}$
	d	$a = \Delta v \div \Delta t$ Evidence of $\Delta v = 44 \text{ cm.s}^{-1}$ between frames = $44 \div 0.045$ = 9.68 m s^{-2}	1 1 1	
	e	ANY 1 FROM: <ul style="list-style-type: none"> • lighter ball • taller drop • use more fps • improved lighting / contrast background 	1	ALLOW answers that improve precision as defined in 'Language of measurement' i.e. If more precise, repeating the experiment will give results that are closer together' ALLOW suggestion to improve the picture quality
		Total	9	

Question		Expected Answer	Mark	Rationale/Additional Guidance
27	a	Energy (provided by the cell)	1	ALLOW Work done by cell
		Per unit charge (passing through)	1	
	b	$V = E - Ir$	1	
		$0.799 = 0.825 - 7.04 \times 10^{-6} \times r$	1	
		$r = (0.825 - 0.799) \div 7.04 \times 10^{-6}$	1	
		$= 3690 \Omega$	1	
	ci	Treated as anomalies because: do not fit the (rest of the) pattern not on the line (which is predicted by established theory) if the student knows of conditions that changed during the experiment that make these points invalid	1	
		cii	Not treated as anomalies because: are in a clear pattern (despite not on a line) show a trend (increasing negative gradient despite not on a line) can't be excluded without knowing more about experimental conditions	
	di	0.82 V	1	ALLOW 3sf ALLOW 0.81-0.83

	d ii	gradient calculation = in range 2800 – 3300 Ω	1 1	
	e	<p>ANY answer/reason PAIR FROM:</p> <ul style="list-style-type: none"> • That value was only calculated with one point • Using the graph gradient gives a better, ‘averaged’ result / reduces effect of random error <p>OR</p> <ul style="list-style-type: none"> • The graph has a curve to it / systematic effect • The line averages-out this effect / a single point is affected by this vs the line (allow better or worse) <p>OR</p> <ul style="list-style-type: none"> • (worse because) The gradient is too shallow • Because I excluded the final points 	2	<p>ALLOW</p> <ul style="list-style-type: none"> • internal resistance probably not constant • so graph probably represents a more realistic value for the p.d.s /currents generated
		Total	12	
		Total Section C	30	
		Total Sections B & C	50	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored